

*Mycological
Society of San
Francisco*

Catalogue of Fungus Fair

<i>Introduction</i>	2
<i>History</i>	3
<i>Statistics</i>	4
<i>Total collections (excluding "sp.")</i>	
<i>Numbers of species by multiplicity of collections (excluding "sp.")</i>	
<i>Numbers of taxa by genus (excluding "sp.")</i>	
<i>Common names</i>	5
<i>Names not recently recorded</i>	6
<i>Numbers of field labels from tables</i>	
<i>Species found - listed by name</i>	7
<i>Species found - listed by multiplicity</i>	12
<i>Forays ranked by numbers found and by measure of uniqueness</i>	14
<i>Species found - by county and by foray</i>	15
<i>Field and Display Label examples</i>	23
<i>Print this page to make your own Field Labels</i>	24

Identifiers

Dennis Desjardin, Mike Wood, Else C. Vellinga, Fred Stevens, Norm Andresen, Phil Carpenter, Mark Gillespie, Darven Deshazer

Recorders

John Lennie, Robert Mackler

Database & Catalogue

John Lennie

Introduction

The first winter storm, which hit on 7 November, was a severe one with heavy rain. But within a couple of days the weather was sunny and no more rain fell until 6 December. Then, and again on 9 December, there was light rain but other days were clear until Friday 13, when the forays for the fair were scheduled. That day there was a downpour.

It was a recipe for disaster. In the bay area, almost no mushrooms responded to the first rain and the month-long dry period had banished mushrooms so completely that it was hard to find a single fruitbody. In late November and early December several people scoured the Berkeley campus and all reported that it was totally barren. The first rain in December seemed too little and too late to help the fair. The downpour on the 13th was the final blow; it led to one foray being canceled when only the leader showed up and shrank the turnout for the rest. And yet the fair was a success: 236 species were recorded, fully 80% of the 296 recorded in 2001!

To give a sense of the dramatic change that occurred in the last few days, consider the San Francisco watershed. On 18 November we had scoured the cypress grove there for *Lepiota* without finding a single specimen (and almost nothing else) and yet on the 13th December sections of the grove were fruiting profusely. The problem then was that many of the fragile *Lepiotas* had been damaged by the heavy rain.

Overall, with 66% of the species recorded in 2001, the watershed did relatively poorly. Salt Point on the other hand, with 125%, actually did significantly better. Even towards the end of November, when the bay area was a mushroom desert, some mushrooms could be found in Mendocino, though far fewer than usual.

The mushrooms at the fair were the ones you would expect after the first rain but were now a month late. There were many *Suillus* and other boletes but almost no *Russulas*, *Lactarius*, *Hygrophorus* and *Cortinarius* - personally I hadn't seen a single specimen in any of these genera until the fair. True, with 13 species, *Russula* tied with *Boletus* for the genus with most species, but this number gives a totally misleading impression. The *Russula* collections consisted of one or two fruitbodies whereas the boletes were abundant.

It is interesting that in the two weeks since the fair there has been a lot of rain and yet here in Berkeley 10 days later there were again almost no mushrooms. The window of opportunity for the fair was truly narrow; how lucky we were!

Family names on the display labels at the fair (and also on pages 7-11) were taken from the CABI Biosciences database (<http://194.131.255.3/cabipages/Names/NAMES.ASP>), as used for the 9th edition of "Ainsworth and Bisby's Dictionary of the Fungi" (2001.). There are controversial changes (like abandoning the family name *Amanitaceae* and placing the genus *Amanita* in the *Plutaceae*). Some experts, like Dr Desjardin, argue that it is premature to discard familiar classifications on the basis of poorly understood molecular data.

You may make field labels for your own forays by printing page 24.

The efforts of many volunteers, a few named here but many nameless, made the fair and this report possible.

John Lennie
Berkeley
30 December 2002

History

The society held its first mushroom show in the fall of 1970 and kept a unified record of species until 1993. Shows were held in San Francisco, Oakland, San Rafael (once) and Coyote Point. In some years there were even three shows! Cumulative records were published twice. First, in "California Mushrooms: 1970-1980" by Herb Saylor, Paul Vergeer, Dennis Desjardin and Tom Duffy, an orange booklet which covered the first 19 shows along with 2 forays. It included literature references and sources for illustrations of the species which still make it a useful reference (copies of the booklet are available from Book Sales.) I prepared the second set of records which was published in the Member's Handbook for 1992. By that time 24 more shows had been held, and the new lists, up to and including January 1992, were presented in one table, with 1009 species. This Handbook is no longer available.

The show in December 1992 was the last to be added to this record and the database I had maintained until then. In 1993, Wade Leschyn took over and began a new database. According to the society's web site, thirteen shows were held between then and the first of the new series at the Oakland Museum in 2001, (though it is possible that there was a 14th show in Coyote Point in 1994.) However there was no longer a unified record of what had been displayed at individual fairs and records for some fairs have been lost.

In 2001 the council established a new Systematics Committee, and made maintaining the database one of its functions; Mike Wood was appointed chair. Under its aegis I began a third database with the goal of adding descriptive material for local species, as well as systematizing foray lists and the collections displayed at shows. The 921 initial names, updated and corrected, were derived from Wade's database and Mykoweb (the names on page 5 , "not recently recorded", are not on this list.) The 2001 Oakland show added 28 names and this show another 20 bringing the current total to 969, including species complexes and varieties. In 2001, for the first time, some of the display labels included common names, synonyms, misapplied names and habitat information supplied by Mykoweb (for an example, see page 23.) The display labels and the catalogues for 2001 and 2002 are the first fruits of the new database.

**Mycological
Society of San
Francisco**

Total collections:	236
Total records (counting separately each occurrence on a different foray):	449
Field labels from display tables (see p.6)	534

Numbers of species reported from 1 foray, 2 forays, ... , 9 forays (multiplicity is not abundance - multiple records from one foray were merged):

prepared:	11 (location unknown)
30 December 2002	
1	125
2	50
3	20
4	10
5	11
6	4
7	1
8	1
9	2
12	1

For lists of species by multiplicity, see pages 12 to 13.

Numbers of taxa by genus (excluding "sp.):

1.....Abortiporus	
11.....Agaricus	
1.....Agrocybe	
1.....Alboleptonia	
1.....Aleuria	
10.....Amanita	
2.....Armillaria	
2.....Astraeus	
1.....Battarrea	
2.....Bolbitius	
13.....Boletus	
1.....Calocybe	
1.....Calvatia	
3.....Cantharellus	
1.....Caulorhiza	
1.....Chalciporus	
1.....Chroogomphus	
2.....Clitocybe	
1.....Clitopilus	
2.....Coprinus	
11.....Cortinarius	
2.....Crepidotus	
1.....Cryptoporus	
1.....Daldinia	
2.....Entoloma	
1.....Fistulina	
1.....Flammulina	
2.....Fomitopsis	
1.....Galerina	
2.....Ganoderma	
2.....Geastrum	
4.....Gomphidius	
2.....Gomphus	
3.....Gymnopilus	
5.....Gymnoporus	
3.....Hebeloma	
1.....Helvella	
1.....Hericium	
1.....Hygrocybe	
1.....Hygrophoropsis	
2.....Hypholoma	
1.....Hypomyces	
1.....Hypsizygus	
3.....Inocybe	
1.....Ischnoderma	
1.....Jahnporus	
1.....Laccaria	
3.....Lactarius	
1.....Laetiporus	
1.....Laricifomes	
1.....Leccinum	
1.....Lentinellus	
1.....Lentinus	
1.....Lenzites	
5.....Lepiota	
1.....Leucoagaricus	
2.....Leucopaxillus	
4.....Lycoperdon	
1.....Lyophyllum	
1.....Macrolepiota	
4.....Marasmius	
1.....Melanoleuca	
9.....Mycena	
1.....Omphalotus	
1.....Panaeolus	
1.....Panellus	
1.....Parmastomyces	
2.....Paxillus	
1.....Phaeolus	
2.....Phellinus	
2.....Pholiota	
1.....Pisolithus	
1.....Pleurotus	
3.....Pluteus	
2.....Polyporus	
6.....Psathyrella	
2.....Psilocybe	
7.....Ramaria	
2.....Rhizopogon	
1.....Rhodocollybia	
13.....Russula	
1.....Sarcodon	
1.....Schizophyllum	
1.....Scleroderma	
2.....Stereum	
1.....Strobilurus	
2.....Stropharia	
8.....Suillus	
2.....Trametes	
2.....Tremella	
6.....Tricholoma	
1.....Tricholomopsis	
2.....Tubaria	
1.....Tylopilus	
1.....Tyromyces	
1.....Volvariella	
2.....Xeromphalina	
1.....Xylaria	

**Mycological
Society of San
Francisco**

Arched Earthstar.....	see <i>Gastrum fornicatum</i>
Artist's Conk	see <i>Ganoderma applanatum</i>
Black Elfin Saddle.....	see <i>Helvella lacunosa</i>
Blewit.....	see <i>Clitocybe nuda</i>
Brown Witch's Butter	see <i>Tremella foliacea</i>
Butter Bolete.....	see <i>Boletus appendiculatus</i>
Candlesnuff Fungus	see <i>Xylaria hypoxylon</i>
Cepe	see <i>Boletus edulis</i>
Champignon	see <i>Agaricus campestris</i>
Chanterelle	see <i>Cantharellus cibarius</i>
Chicken of the Woods	see <i>Laetiporus sulphureus</i>
Coccoli.....	see <i>Amanita lanei</i>
Coccora	see <i>Amanita lanei</i>
Cramp balls	see <i>Daldinia grandis</i>
Dead Man's Foot	see <i>Pisolithus tinctorius</i>
Deadly Galerina.....	see <i>Galerina autumnalis</i>
Death Cap	see <i>Amanita phalloides</i>
Deer Mushroom.....	see <i>Pluteus cervinus</i>
Dyeball.....	see <i>Pisolithus tinctorius</i>
Earthstar	see <i>Gastrum saccatum</i>
False Chanterelle	see <i>Hygrophoropsis aurantiaca</i>
False Turkey Tail.....	see <i>Stereum hirsutum</i>
Fly Agaric.....	see <i>Amanita muscaria</i>
Fried Chicken Mushroom	see <i>Lyophyllum decastes</i>
Grisette	see <i>Amanita constricta</i>
Grisette	see <i>Amanita vaginata</i>
Honey Mushroom	see <i>Armillaria mellea</i>
Horse Mushroom	see <i>Agaricus arvensis</i>
Hygroscopic Earthstar	see <i>Astraeus hygrometricus</i>
Jack-O-Lantern.....	see <i>Omphalotus olivascens</i>
King Bolete	see <i>Boletus edulis</i>
Manzanita Bolete	see <i>Leccinum manzanitae</i>
Matsutake	see <i>Tricholoma magnivelare</i>
Meadow Mushroom.....	see <i>Agaricus campestris</i>
Mica Cap	see <i>Coprinus micaceus</i>
Orange Cup	see <i>Aleuria aurantia</i>
Oyster Mushroom	see <i>Pleurotus ostreatus</i>
Penny Bun	see <i>Boletus edulis</i>
Pig's Ears	see <i>Gomphus clavatus</i>
Pine Spike	see <i>Chroogomphus vinicolor</i>
Poison Pie	see <i>Hebeloma crustuliniforme</i>
Porcini.....	see <i>Boletus edulis</i>
Puffball.....	see <i>Lycoperdon perlatum</i>
Queen Bolete.....	see <i>Boletus aereus</i>
Redwood Rooter.....	see <i>Caulorhiza umbonata</i>
Rosy Russula	see <i>Russula sanguinea</i>
Satan's Bolete	see <i>Boletus satanas</i>
Shaggy Mane	see <i>Coprinus comatus</i>
Shaggy Parasol	see <i>Macrolepiota rachodes</i>
Slippery Jack	see <i>Suillus pungens</i>
Split Gill	see <i>Schizophyllum commune</i>
Sulphur Shelf.....	see <i>Laetiporus sulphureus</i>
Sulphur Tuft.....	see <i>Hypholoma fasciculare</i>
Sweetbread mushroom	see <i>Clitopilus prunulus</i>
Torq	see <i>Agaricus bitorquis</i>
Turkey Tails	see <i>Trametes versicolor</i>
Veiled Polypore	see <i>Cryptoporus volvatus</i>
Velvet Foot	see <i>Flammulina velutipes</i>
Viscid Bolete	see <i>Boletus flavidus</i>
Western Grisette.....	see <i>Amanita pachycolea</i>
White Chanterelle	see <i>Cantharellus subalbidus</i>
Wine Colored Agaricus.....	see <i>Agaricus subrutilescens</i>
Witch's Butter	see <i>Tremella mesenterica</i>
Witch's Hat	see <i>Hygrocybe singeri</i>
Woolly Chanterelle	see <i>Gomphus floccosus</i>
Yellow Chanterelle.....	see <i>Cantharellus cibarius</i>
Yellow Stainer.....	see <i>Agaricus xanthodermus</i>

**Mycological
Society of San
Francisco**

<i>Abortiporus biennis</i>	Meripilaceae
<i>Calvatia utriformis</i>	Lycoperdaceae
<i>Chalciporus piperatooides</i>	Boletaceae
<i>Cortinarius stemmatus</i>	Cortinariaceae
<i>Crepidotus crocophyllus</i>	Cortinariaceae
<i>Hypsizygus marmoreus</i>	Tricholomataceae
<i>Ischnoderma resinosum</i>	Hapalopilaceae
<i>Laricifomes officinalis</i>	Polyporaceae
<i>Lepiota castaneidisca</i>	Agaricaceae
<i>Lepiota "carmineobasidia"</i>	Agaricaceae
<i>Lycoperdon molle</i>	Lycoperdaceae
<i>Panaeolus semiovatus</i>	Bolbitiaceae
<i>Parmastomyces transmutans</i>	Fomitopsidaceae
<i>Phellinus robustus</i>	Hymenochaetaceae
<i>Pluteus salicinus</i>	Pluteaceae
<i>Polyporus decurrens</i>	Polyporaceae
<i>Trametes ochracea</i>	Polyporaceae
<i>Tricholoma caligatum</i>	Tricholomataceae
<i>Tyromyces fragilis</i>	Polyporaceae
<i>Xeromphalina kauffmanii</i>	Tricholomataceae

Numbers of field labels recovered from tables after set-up

1.....	23
2.....	8
3.....	19
4.....	104
6.....	20
7.....	70
8.....	64
9.....	42
10.....	17
11.....	33
12.....	56
13.....	44
14.....	34
total.....	534

**Mycological
Society of San
Francisco**

<i>Abortiporus biennis</i>	Meripilaceae
<i>Agaricus arorae</i>	Agaricaceae
<i>Agaricus arvensis</i>	Agaricaceae
<i>Agaricus bernardii</i>	Agaricaceae
<i>Agaricus bitorquis</i>	Agaricaceae
<i>Agaricus californicus</i>	Agaricaceae
<i>Agaricus campestris</i>	Agaricaceae
<i>Agaricus crocodilinus</i>	Agaricaceae
<i>Agaricus cupreobrunneus</i>	Agaricaceae
<i>Agaricus meleagris</i>	see <i>Agaricus paeclaresquamosus</i>
<i>Agaricus placomyces</i>	see <i>Agaricus paeclaresquamosus</i>
<i>Agaricus paeclaresquamosus</i>	Agaricaceae
<i>Agaricus rodmani</i>	see <i>Agaricus bitorquis</i>
<i>Agaricus subrutilescens</i>	Agaricaceae
<i>Agaricus xanthodermus</i>	Agaricaceae
<i>Agrocybe pediades</i>	Bolbitiaceae
<i>Albatrellus hirtus</i>	see <i>Jahnoporus hirtus</i>
<i>Alboleptonia sericella</i>	Entolomataceae
<i>Aleuria aurantia</i>	Pezizaceae
<i>Amanita aspera</i>	see <i>Amanita franchetii</i>
<i>Amanita calyphrata</i>	see <i>Amanita lanei</i>
<i>Amanita calyptroderma</i>	see <i>Amanita lanei</i>
<i>Amanita constricta</i>	Pluteaceae
<i>Amanita franchetii</i>	Pluteaceae
<i>Amanita gemmata</i>	Pluteaceae
<i>Amanita lanei</i>	Pluteaceae
<i>Amanita muscaria</i>	Pluteaceae
<i>Amanita muscaria</i> var. <i>flavivolvata</i>	Pluteaceae
<i>Amanita pachycolea</i>	Pluteaceae
<i>Amanita phalloides</i>	Pluteaceae
<i>Amanita silvicola</i>	Pluteaceae
<i>Amanita vaginata</i>	Pluteaceae
<i>Armillaria mellea</i>	Marasmiaceae
<i>Armillaria ostoyae</i>	Marasmiaceae
<i>Armillaria ponderosa</i>	see <i>Tricholoma magnivelare</i>
<i>Armillariella mellea</i>	see <i>Armillaria mellea</i>
<i>Astraeus hygrometricus</i>	Sclerodermataceae
<i>Astraeus pteridis</i>	Sclerodermataceae
<i>Battarrea phalloides</i>	Tulostomataceae
<i>Bolbitius aleuriatus</i>	Bolbitiaceae
<i>Bolbitius vitellinus</i>	Bolbitiaceae
<i>Boletus aereus</i>	Boletaceae
<i>Boletus amygdalinus</i>	Boletaceae
<i>Boletus appendiculatus</i>	Boletaceae
<i>Boletus chrysenteron</i>	Boletaceae
<i>Boletus citriniporus</i>	Boletaceae
<i>Boletus dryophilus</i>	Boletaceae
<i>Boletus edulis</i>	Boletaceae
<i>Boletus flaviporus</i>	Boletaceae
<i>Boletus piperatoides</i>	Boletaceae
<i>Boletus satanas</i>	Boletaceae
<i>Boletus subtomentosus</i>	Boletaceae
<i>Boletus truncatus</i>	Boletaceae
<i>Boletus zelleri</i>	Boletaceae
<i>Calocybe carnea</i>	Tricholomataceae
<i>Calvatia utriformis</i>	Lycoperdaceae
<i>Cantharellus cibarius</i>	Cantharellaceae
<i>Cantharellus clavatus</i>	see <i>Gomphus clavatus</i>
<i>Cantharellus formosus</i>	Cantharellaceae
<i>Cantharellus subalbidus</i>	Cantharellaceae
<i>Caulorhiza umbonata</i>	Tricholomataceae
<i>Chalciporus piperatoides</i>	see <i>Boletus piperatoides</i>
<i>Chalciporus piperatoides</i>	Boletaceae
<i>Chroogomphus vinicolor</i>	Gomphidiaceae
<i>Clitocybe nebularis</i>	Tricholomataceae
<i>Clitocybe nuda</i>	Tricholomataceae
<i>Clitopilus prunulus</i>	Entolomataceae
<i>Collybia butyracea</i>	see <i>Rhodocollybia butyracea</i>

**Mycological
Society of San
Francisco**

<i>Collybia dryophila</i>	see <i>Gymnoporus dryophilus</i>
<i>Collybia fuscopurpurea</i>	see <i>Gymnoporus villosipes</i>
<i>Collybia trullisata</i>	see <i>Strobilurus trullisatus</i>
<i>Coprinellus micaceus</i>	see <i>Coprinus micaceus</i>
<i>Coprinus comatus</i>	<i>Coprinaceae</i>
<i>Coprinus micaceus</i>	<i>Coprinaceae</i>
<i>Coriolus versicolor</i>	see <i>Trametes versicolor</i>
<i>Cortinarius camphoratus</i>	<i>Cortinariaceae</i>
<i>Cortinarius caninus</i>	<i>Cortinariaceae</i>
<i>Cortinarius collinitus</i>	<i>Cortinariaceae</i>
<i>Cortinarius fulmineus</i>	<i>Cortinariaceae</i>
<i>Cortinarius multiformis</i>	<i>Cortinariaceae</i>
<i>Cortinarius ponderosus</i>	<i>Cortinariaceae</i>
<i>Cortinarius regalis</i>	<i>Cortinariaceae</i>
<i>Cortinarius sodagnitus</i>	<i>Cortinariaceae</i>
<i>Cortinarius stermattus</i>	<i>Cortinariaceae</i>
<i>Cortinarius vanduzerensis</i>	<i>Cortinariaceae</i>
<i>Cortinarius vibratilis</i>	<i>Cortinariaceae</i>
<i>Crepidotus crocophyllus</i>	<i>Cortinariaceae</i>
<i>Crepidotus mollis</i>	<i>Cortinariaceae</i>
<i>Cryptoporus volvatus</i>	<i>Polyporaceae</i>
<i>Daldinia grandis</i>	<i>Xylariaceae</i>
<i>Entoloma bloxami</i>	<i>Entolomataceae</i>
<i>Entoloma madidum</i>	see <i>Entoloma bloxami</i>
<i>Entoloma rhodopolium</i>	<i>Entolomataceae</i>
<i>Fistulina hepatica</i>	<i>Fistulinaceae</i>
<i>Flammulina velutipes</i>	<i>Marasmiaceae</i>
<i>Fomes pinicola</i>	see <i>Fomitopsis pinicola</i>
<i>Fomes subroseus</i>	see <i>Fomitopsis cajanderi</i>
<i>Fomitopsis cajanderi</i>	<i>Fomitopsidaceae</i>
<i>Fomitopsis pinicola</i>	<i>Fomitopsidaceae</i>
<i>Galerina autumnalis</i>	<i>Cortinariaceae</i>
<i>Ganoderma applanatum</i>	<i>Ganodermataceae</i>
<i>Ganoderma tsugae</i>	<i>Ganodermataceae</i>
<i>Geastrum fornicatum</i>	<i>Geastraceae</i>
<i>Geastrum saccatum</i>	<i>Geastraceae</i>
<i>Gomphidius glutinosus</i>	<i>Gomphidiaceae</i>
<i>Gomphidius oregonensis</i>	<i>Gomphidiaceae</i>
<i>Gomphidius smithii</i>	<i>Gomphidiaceae</i>
<i>Gomphidius subroseus</i>	<i>Gomphidiaceae</i>
<i>Gomphidius vinicolor</i>	see <i>Chroogomphus vinicolor</i>
<i>Gomphus clavatus</i>	<i>Gomphaceae</i>
<i>Gomphus floccosus</i>	<i>Gomphaceae</i>
<i>Gymnopilus junonius</i>	see <i>Gymnopilus spectabilis</i>
<i>Gymnopilus luteocarneus</i>	<i>Cortinariaceae</i>
<i>Gymnopilus sapineus</i>	<i>Cortinariaceae</i>
<i>Gymnopilus spectabilis</i>	<i>Cortinariaceae</i>
<i>Gymnopus badiabulus</i>	<i>Tricholomataceae</i>
<i>Gymnopus dryophilus</i>	<i>Tricholomataceae</i>
<i>Gymnopus fuscopurpureus</i>	see <i>Gymnopus villosipes</i>
<i>Gymnopus fuscopurpureus</i>	<i>Tricholomataceae</i>
<i>Gymnopus kauffmanii</i>	<i>Tricholomataceae</i>
<i>Gymnopus villosipes</i>	<i>Tricholomataceae</i>
<i>Hebeloma crustuliniforme</i>	<i>Bolbitiaceae</i>
<i>Hebeloma sacchariolens</i>	<i>Bolbitiaceae</i>
<i>Hebeloma sinapizans group</i>	<i>Bolbitiaceae</i>
<i>Helvella lacunosa</i>	<i>Helvellaceae</i>
<i>Hericium ramosum</i>	<i>Hericiaceae</i>
<i>Hydnium imbricatum</i>	see <i>Sarcodon imbricatus</i>
<i>Hygrocybe singeri</i>	<i>Tricholomataceae</i>
<i>Hygrophoropsis aurantiaca</i>	<i>Hygrophoropsidaceae</i>
<i>Hygrophorus singeri</i>	see <i>Hygrocybe singeri</i>
<i>Hypholoma aurantiacum</i>	<i>Strophariaceae</i>
<i>Hypholoma fasciculare</i>	<i>Strophariaceae</i>
<i>Hypomyces chrysospermum</i>	<i>Hypocreaceae</i>
<i>Hypsizygus marmoreus</i>	<i>Tricholomataceae</i>
<i>Inocybe albodisca</i>	<i>Cortinariaceae</i>
<i>Inocybe fastigiata</i>	<i>Cortinariaceae</i>

**Mycological
Society of San
Francisco**

<i>Inocybe sororia</i>	Cortinariaceae
<i>Ischnoderma resinosum</i>	Hapalopilaceae
<i>Jahnporus hirtus</i>	Albatrellaceae
<i>Laccaria proxima</i>	Hydnangiaceae
<i>Lactarius alnicola</i>	Russulaceae
<i>Lactarius deliciosus</i>	Russulaceae
<i>Lactarius rubrilacteus</i>	Russulaceae
<i>Lactarius sanguifluus</i>	see <i>Lactarius rubrilacteus</i>
<i>Laetiporus sulphureus</i>	Polyporaceae
<i>Laricifomes officinalis</i>	Polyporaceae
<i>Leccinum manzanitae</i>	Boletaceae
<i>Lentinellus ursinus</i>	Auriscalpiaceae
<i>Lentinus lepideus</i>	Polyporaceae
<i>Lenzites betulina</i>	Polyporaceae
<i>Lepiota "carmineobasidia"</i>	Agaricaceae
<i>Lepiota castaneoidisca</i>	Agaricaceae
<i>Lepiota clypeolaria</i>	see <i>Lepiota magnispora</i>
<i>Lepiota rachodes</i>	see <i>Macrolepiota rachodes</i>
<i>Lepiota roseifolia</i>	Agaricaceae
<i>Lepiota rubrotincta</i>	see <i>Leucoagaricus rubrotinctus</i>
<i>Lepiota sequoiarum group</i>	Agaricaceae
<i>Lepiota spheniscispora</i>	Agaricaceae
<i>Lepiota ventriosospora</i>	see <i>Lepiota magnispora</i>
<i>Lepista nebularis</i>	see <i>Clitocybe nebularis</i>
<i>Lepista nuda</i>	see <i>Clitocybe nuda</i>
<i>Leucoagaricus rubrotinctus</i>	Agaricaceae
<i>Leucopaxillus albissimus</i>	Tricholomataceae
<i>Leucopaxillus amarus</i>	see <i>Leucopaxillus gentianeus</i>
<i>Leucopaxillus gentianeus</i>	Tricholomataceae
<i>Lycoperdon molle</i>	Lycoperdaceae
<i>Lycoperdon perlatum</i>	Lycoperdaceae
<i>Lycoperdon pyriforme</i>	Lycoperdaceae
<i>Lycoperdon umbrinum</i>	Lycoperdaceae
<i>Lyophyllum decastes</i>	Tricholomataceae
<i>Macrolepiota rachodes</i>	Agaricaceae
<i>Marasmius calhouniae</i>	Marasmiaceae
<i>Marasmius pallidocephalus</i>	Marasmiaceae
<i>Marasmius plicatulus</i>	Marasmiaceae
<i>Marasmius quercophilus</i>	Marasmiaceae
<i>Marasmius villosipes</i>	see <i>Gymnopus villosipes</i>
<i>Melanoleuca melaleuca</i>	Tricholomataceae
<i>Mycena alcalina</i>	see <i>Mycena capillaripes</i>
<i>Mycena californiensis</i>	Tricholomataceae
<i>Mycena capillaripes</i>	Tricholomataceae
<i>Mycena capillaris</i>	Tricholomataceae
<i>Mycena elegantula</i>	see <i>Mycena californiensis</i>
<i>Mycena iodiolens</i>	Tricholomataceae
<i>Mycena leptocephala</i>	Tricholomataceae
<i>Mycena maculata</i>	Tricholomataceae
<i>Mycena pura</i>	Tricholomataceae
<i>Mycena purpureofusca</i>	Tricholomataceae
<i>Mycena sanguinolenta</i>	see <i>Mycena californiensis</i>
<i>Mycena speirea</i>	Tricholomataceae
<i>Naematoloma aurantiaca</i>	see <i>Hypholoma aurantiacum</i>
<i>Naematoloma fasciculare</i>	see <i>Hypholoma fasciculare</i>
<i>Omphalotus olivascens</i>	Marasmiaceae
<i>Panaeolus semiovatus</i>	Bolbitiaceae
<i>Panellus serotinus</i>	Tricholomataceae
<i>Parmastomyces transmutans</i>	Fomitopsidaceae
<i>Paxillus involutus</i>	Paxillaceae
<i>Paxillus panuoides</i>	Paxillaceae
<i>Phaeolus schweinitzii</i>	Polyporaceae
<i>Phaeomarasmius confragosus</i>	see <i>Tubaria confragosa</i>
<i>Phellinus pini</i>	Hymenochaetaceae
<i>Phellinus robustus</i>	Hymenochaetaceae
<i>Pholiota malicola</i>	Strophariaceae
<i>Pholiota terrestris</i>	Strophariaceae
<i>Pisolithus arrhizus</i>	see <i>Pisolithus tinctorius</i>

**Mycological
Society of San
Francisco**

<i>Pisolithus tinctorius</i>	Sclerodermataceae
<i>Pleurotus ostreatus</i>	Pleurotaceae
<i>Pluteus cervinus</i>	Pluteaceae
<i>Pluteus magnus</i>	Pluteaceae
<i>Pluteus salicinus</i>	Pluteaceae
<i>Polyporus decurrens</i>	Polyporaceae
<i>Polyporus elegans</i>	Polyporaceae
<i>Polyporus hirtus</i>	see <i>Jahnoporus hirtus</i>
<i>Polyporus sulphureus</i>	see <i>Laetiporus sulphureus</i>
<i>Polyporus versicolor</i>	see <i>Trametes versicolor</i>
<i>Psathyrella candolleana</i>	Coprinaceae
<i>Psathyrella fuscofolia</i>	Coprinaceae
<i>Psathyrella gracilis</i>	Coprinaceae
<i>Psathyrella hydrophila</i>	Coprinaceae
<i>Psathyrella longipes</i>	Coprinaceae
<i>Psathyrella spadicea</i>	Coprinaceae
<i>Psilocybe ceres</i>	see <i>Hypholoma aurantiacum</i>
<i>Psilocybe cyanescens</i>	Strophariaceae
<i>Psilocybe cyanofibrillosa</i>	Strophariaceae
<i>Ramaria acrisiccescens</i>	Ramariaceae
<i>Ramaria araiospora</i>	Ramariaceae
<i>Ramaria botrytis</i>	Ramariaceae
<i>Ramaria flavigelatinosa</i>	Ramariaceae
<i>Ramaria formosa</i>	Ramariaceae
<i>Ramaria rubribrunnescens</i>	Ramariaceae
<i>Ramaria vinosimaculans</i>	Ramariaceae
<i>Rhizopogon ochraceorubens</i>	Rhizopogonaceae
<i>Rhizopogon rubescens</i>	Rhizopogonaceae
<i>Rhodocollybia butyracea</i>	Marasmiaceae
<i>Russula alutacea</i>	Russulaceae
<i>Russula amoenolens</i>	Russulaceae
<i>Russula basifurcata</i>	Russulaceae
<i>Russula brevipes</i>	Russulaceae
<i>Russula brunneola</i>	Russulaceae
<i>Russula cyanoxantha</i>	Russulaceae
<i>Russula fragrantissima</i>	Russulaceae
<i>Russula graveolens</i>	Russulaceae
<i>Russula integra</i>	Russulaceae
<i>Russula olivacea</i>	Russulaceae
<i>Russula paxilloides</i>	Russulaceae
<i>Russula pectinatoides</i>	see <i>Russula amoenolens</i>
<i>Russula rosacea</i>	see <i>Russula sanguinea</i>
<i>Russula sanguinea</i>	Russulaceae
<i>Russula semirubra</i>	Russulaceae
<i>Sarcodon imbricatus</i>	Bankeraceae
<i>Schizophyllum commune</i>	Schizophyllaceae
<i>Scleroderma geaster</i>	Sclerodermataceae
<i>Stereum hirsutum</i>	Stereaceae
<i>Stereum striatum</i>	Stereaceae
<i>Strobilurus kemptonae</i>	see <i>Strobilurus trullisatus</i>
<i>Strobilurus trullisatus</i>	Marasmiaceae
<i>Stropharia ambigua</i>	Strophariaceae
<i>Stropharia aurantiaca</i>	see <i>Hypholoma aurantiacum</i>
<i>Stropharia riparia</i>	Strophariaceae
<i>Suillus brevipes</i>	Suillaceae
<i>Suillus caerulescens</i>	Suillaceae
<i>Suillus fuscotomentosus</i>	Suillaceae
<i>Suillus granulatus</i>	Suillaceae
<i>Suillus lakei</i>	Suillaceae
<i>Suillus ponderosus</i>	Suillaceae
<i>Suillus pungens</i>	Suillaceae
<i>Suillus tomentosus</i>	Suillaceae
<i>Tapinella panuoides</i>	see <i>Paxillus panuoides</i>
<i>Trametes ochracea</i>	Polyporaceae
<i>Trametes versicolor</i>	Polyporaceae
<i>Tremella foliacea</i>	Tremellaceae
<i>Tremella mesenterica</i>	Tremellaceae
<i>Tricholoma caligatum</i>	Tricholomataceae

**Mycological
Society of San
Francisco**

<i>Tricholoma fracticum</i>	Tricholomataceae
<i>Tricholoma imbricatum</i>	Tricholomataceae
<i>Tricholoma magnivelare</i>	Tricholomataceae
<i>Tricholoma pardinum</i>	Tricholomataceae
<i>Tricholoma saponaceum</i>	Tricholomataceae
<i>Tricholomopsis rutilans</i>	Tricholomataceae
<i>Tubaria confragosa</i>	Cortinariaceae
<i>Tubaria furfuracea</i>	Cortinariaceae
<i>Tylopilus pseudoscaber</i>	Boletaceae
<i>Tyromyces fragilis</i>	Polyporaceae
<i>Volvariella gloiocephala</i>	see <i>Volvariella gloiocephala</i>
<i>Volvariella gloiocephala</i>	Pluteaceae
<i>Xerocomus chrysenteron</i>	see <i>Boletus chrysenteron</i>
<i>Xerocomus dryophilus</i>	see <i>Boletus dryophilus</i>
<i>Xerocomus subtomentosus</i>	see <i>Boletus subtomentosus</i>
<i>Xeromphalina caudivinalis</i>	Tricholomataceae
<i>Xeromphalina kauffmanii</i>	Tricholomataceae
<i>Xylaria hypoxylon</i>	Xylariaceae

**Mycological
Society of San
Francisco**

**11 species reported once
(location unknown)**

Battarrea phalloides
Gastrum fornicatum
Hericium ramosum
Ischnoderma resinosum
Parmastomyces transmutans
Phellinus pini
Phellinus robustus
Pluteus magnus
Rhizopogon ochraceorubens
Russula amoena
Sarcodon imbricatus

125 species on one foray

Abortiporus biennis
Agaricus arorae
Agaricus arvensis
Agaricus bernardii
Agaricus bitorquis
Agaricus californicus
Agaricus campestris
Agaricus crocodilinus
Agaricus cupreobrunneus
Agrocybe pediades
Alboleptonia sericella
Aleuria aurantia
Amanita constricta
Astraeus pteridis
Boletus citriniporus
Boletus flaviporus
Boletus subtomentosus
Boletus truncatus
Calvatia utriformis
Cantharellus formosus
Cantharellus subalbidus
Chalciporus piperatoides
Clitocybe nebularis
Coprinus micaceus
Cortinarius caninus
Cortinarius collinitus
Cortinarius fulmineus
Cortinarius multiformis
Cortinarius ponderosus
Cortinarius regalis
Cortinarius stemmatus
Cortinarius vanduzerensis
Cortinarius vibratilis
Crepidotus crocophyllus
Crepidotus mollis
Cryptoporus volvatus
Daldinia grandis
Entoloma rhodopolium
Galerina autumnalis
Gastrum saccatum
Gomphidius smithii
Gomphidius subroseus
Gomphus clavatus
Gymnopilus sapineus
Gymnopus badiabilus
Gymnopus kauffmanii
Hebeloma sacchariolens
Hebeloma sinapizans group
Helvella lacunosa
Hygrocybe singeri
Hypsizygus marmoreus

Inocybe fastigiata
Inocybe sororia
Jahnoporus hirtus
Laccaria proxima
Lactarius rubrilacteus
Laetiporus sulphureus
Laricifomes officinalis
Lentinellus ursinus
Lentinus lepideus
Lenzites betulinus
Lepiota "carmineobasidia"
Lepiota castaneidisca
Lepiota sequoiarum group
Leucopaxillus albissimus
Leucopaxillus gentianeus
Lycoperdon molle
Lycoperdon pyriforme
Marasmius pallidocephalus
Melanoleuca melaleuca
Mycena capillaris
Mycena iodoliens
Mycena leptcephala
Mycena pura
Mycena speirea
Panaeolus semiovatus
Panellus serotinus
Paxillus panuoides
Pholiota malicola
Pluteus salicinus
Polyporus decurrens
Polyporus elegans
Psathyrella candolleana
Psathyrella fuscofolia
Psathyrella longipes
Psathyrella spadicea
Psilocybe cyanescens
Psilocybe cyanofibrillosa
Ramaria acriscescens
Ramaria araiospora
Ramaria botrytis
Ramaria flavigelatinosa
Ramaria formosa
Ramaria rubribrunnescens
Ramaria vinosimaculans
Rhizopogon rubescens
Russula alutacea
Russula basifurcata
Russula brevipes
Russula brunneola
Russula cyanoxantha
Russula graveolens
Russula olivacea
Russula sanguinea
Schizophyllum commune
Scleroderma geaster
Stereum striatum
Suillus brevipes
Suillus granulatus
Suillus ponderosus
Suillus tomentosus
Trametes ochracea
Tremella foliacea
Tricholoma caligatum
Tricholoma fracticum
Tricholoma magnivelare
Tricholoma pardinum
Tricholoma saponaceum
Tricholomopsis rutilans

Number of forays reporting each species**Oakland Museum, 14-15 December 2002****Mycological Society of San Francisco**

Tubaria confragosa
Tylopilus pseudoscaber
Tyromyces fragilis
Xeromphalina caoticinalis
Xeromphalina kauffmanii
Xylaria hypoxylon

50 species on 2 forays

Agaricus xanthodermus
Amanita muscaria var. *flavivolvata*
Amanita pachycolea
Amanita phalloides
Amanita silvicola
Amanita vaginata
Armillaria ostoyae
Astraeus hygrometricus
Bolbitius aleuriatus
Bolbitius vitellinus
Boletus chrysenteron
Boletus dryophilus
Boletus piperatooides
Calocybe carneae
Cantharellus cibarius
Clitopilus prunulus
Cortinarius camphoratus
Cortinarius sodagnitus
Fistulina hepatica
Flammulina velutipes
Fomitopsis cajanderi
Ganoderma applanatum
Ganoderma tsugae
Gomphidius glutinosus
Gymnopilus spectabilis
Gymnoporus fuscopurpureus
Gymnoporus villosipes
Hygrophoropsis aurantiaca
Inocybe albodisca
Lactarius alnicola
Lycoperdon perlatum
Lycoperdon umbrinum
Macrolepiota rachodes
Marasmius calhouniae
Marasmius plicatulus
Marasmius quercophilus
Omphalotus olivascens
Pisolithus tinctorius
Psathyrella gracilis
Psathyrella hydrophila
Rhodocollybia butyracea
Russula fragrantissima
Russula Paxilloides
Russula semirubra
Stropharia riparia
Suillus fuscotomentosus
Suillus lakei
Tremella mesenterica
Tricholoma imbricatum
Volvariella gloiocephala

20 species on 3 forays

Agaricus praeclacesquamosus
Boletus zelleri
Caulorhiza umbonata
Chroogomphus vinicolor
Clitocybe nuda
Coprinus comatus

Gomphus floccosus
Hypholoma aurantiacum
Lactarius deliciosus
Lepiota roseifolia
Lepiota spheniscispora
Lyophyllum decastes
Mycena purpureofusca
Paxillus involutus
Phaeolus schweinitzii
Pholiota terrestris
Russula integra
Strobilurus trullisatus
Stropharia ambigua
Tubaria furfuracea

10 species on 4 forays

Agaricus subrutilescens
Amanita gemmata
Boletus aereus
Boletus amygdalinus
Boletus satanas
Entoloma bloxami
Gymnopilus luteocarneus
Mycena californiensis
Mycena capillaripes
Mycena maculata

11 species on 5 forays

Amanita franchetii
Amanita muscaria
Fomitopsis pinicola
Gomphidius oregonensis
Gymnoporus dryophilus
Hypomyces chrysospermum
Leccinum manzanitae
Leucoagaricus rubrotinctus
Pluteus cervinus
Suillus pungens
Trametes versicolor

4 species on 6 forays

Armillaria mellea
Boletus appendiculatus
Stereum hirsutum
Suillus caerulescens

1 species on 7 forays

Hebeloma crustuliniforme

1 species on 8 forays

Pleurotus ostreatus

2 species on 9 forays

Amanita lanei
Boletus edulis

1 species on 12 forays

Hypholoma fasciculare

Forays ranked by number of species

col. 1: total number of species

col. 2: number of species recorded only on this foray divided by total number of species on foray

84	0.39	Salt Point State Park, Sonoma Co.	Anna Moore
59	0.29	Crystal Springs Watershed, San Mateo Co.	Bill Freedman
37	0.22	Various, Marin Co.	Ron Pastorino
34	0.18	Campus U.C., Santa Cruz, Santa Cruz Co.	Thomas and Tina Keller
33	0.24	San Mateo County Memorial Park	Fred Stevens
33	0.18	Joaquin Miller Park, Alameda Co.	Mike Wood
26	0.27	Wunderlich Park, San Mateo Co.	J.R. Blair
21	0.43	Nevada City area, Nevada Co.	Daniel Nicholson
16	0.12	Roys Redwoods, Marin Co.	Robert Mackler
10	0.20	Campus, U.C. Berkeley, Alameda Co.	J. Edmonds
10	0.10	Aptos, Santa Cruz Co.	P. Carpenter
9	0.00	Tomales Bay Park, Marin Co.	J. Baruzzi
9	0.00	San Francisco, San Francisco Co.	Tom Chester
7	0.29	Waterman Gap, Santa Cruz Co.	J. Brown
7	0.14	Daly City, San Mateo Co.	Fred Stevens
7	0.00	Wildcat Canyon, Contra Costa Co.	M. Rossman
4	0.00	Orinda, Contra Costa Co.	Tom Beales
3	1.00	Berkeley Marina, Alameda Co.	
3	0.67	Oakland, Alameda Co.	
3	0.00	Sausal Creek, Alameda Co.	
3	0.00	Marin Co.	J. Edmonds
3	0.00	Marin Co.	J. Edmonds
3	0.00	Jackson State Forest, Mendocino Co.	Debbie Viess
2	1.00	Oakland Hills, Alameda Co.	
2	0.50	Oakland flat - Debbie's garden, Alameda Co.	Debbie Viess
2	0.00	San Francisco State Univ., San Francisco Co.	
2	0.00	Richmond Field Station, Contra Costa Co.	Anna Moore
2	0.00	Golden Gate Park, San Francisco Co.	Peter Werner
1	1.00	San Francisco, San Francisco Co.	
1	1.00	Pleasant Hill, Contra Costa Co.	
1	1.00	Oregon	Debbie Viess
1	1.00	Nathan Wilson's farm	
1	1.00	Mt Tamalpais, Marin Co.	
1	1.00	Georgetown, El Dorado Co.	
1	1.00	Berkeley, Alameda Co.	
1	0.00	Sheffield Village, Oakland, Alameda Co.	Debbie Viess
1	0.00	Oakland, Alameda Co.	J. Edmonds
1	0.00	Eureka, Humboldt Co.	
1	0.00	Eureka Headwaters, Humboldt Co.?	J. Edmonds
1	0.00	Eugene, Oregon	
1	0.00	El Cerrito, Contra Costa Co.	
1	0.00	College Avenue, Berkeley, Alameda Co.	D. Eichorn
1	0.00	Campus, U.C. Berkeley, Alameda Co.	J. Edmonds

Larger forays ranked by uniqueness

21	0.43	Nevada City area, Nevada Co.	Daniel Nicholson
84	0.39	Salt Point State Park, Sonoma Co.	Anna Moore
59	0.29	Crystal Springs Watershed, San Mateo Co.	Bill Freedman
26	0.27	Wunderlich Park, San Mateo Co.	J.R. Blair
33	0.24	San Mateo County Memorial Park	Fred Stevens
37	0.22	Various, Marin Co.	Ron Pastorino
34	0.18	Campus U.C., Santa Cruz, Santa Cruz Co.	Thomas and Tina Keller
33	0.18	Joaquin Miller Park, Alameda Co.	Mike Wood
16	0.12	Roys Redwoods, Marin Co.	Robert Mackler

Numbers in columns 1 and 2 are the same in both tables.

**Mycological
Society of San
Francisco**

Foray 7 - Joaquin Miller Park, Alameda Co.
Mike Wood
33 taxa, including 6* found only on this foray

*Abortiporus biennis**
*Agrocybe pediades**
Amanita muscaria
Astraeus hygrometricus
Bolbitius aleuriatus
Bolbitius vitellinus
Boletus aereus
Boletus amygdalinus
Boletus dryophilus
*Boletus flaviporus**
Coprinus comatus
Gymnopilus spectabilis
*Gymnoporus badiialbus**
Gymnoporus dryophilus
Hebeloma crustuliniforme
Hypholoma fasciculare
Hypomyces chrysospermum
Lepiota spheniscispora
Leucoagaricus rubrotinctus
Lycoperdon perlatum
Lyophyllum decastes
Mycena californiensis
Mycena capillaripes
Mycena purpureofusca
*Mycena speirea**
Paxillus involutus
Stereum hirsutum
Stropharia ambigua
Stropharia riparia
*Suillus granulatus**
Suillus pungens
Trametes versicolor
Tubaria furfuracea

Foray 14 - Campus, U.C. Berkeley, Alameda Co.
J. Edmonds
10 taxa, including 2* found only on this foray

Amanita lanei
Armillaria mellea
Boletus amygdalinus
Hypholoma aurantiacum
Inocybe albodisca
Lactarius alnicola
*Lactarius rubrilacteus**
Paxillus involutus
Pholiota terrestris
*Scleroderma geaster**

Foray 15 - Campus, U.C. Berkeley, Alameda Co.
J. Edmonds
1 taxon, including 0* found only on this foray

Ganoderma tsugae

Alameda Co.

Foray 16 - Oakland, Alameda Co.
J. Edmonds
1 taxon, including 0* found only on this foray

Flammulina velutipes

Foray 22 - Sheffield Village, Oakland, Alameda Co.
Debbie Viess
1 taxon, including 0* found only on this foray

Armillaria ostoyae

Foray 26 - Oakland flat - Debbie's garden, Alameda Co.
Debbie Viess
2 taxa, including 1* found only on this foray

*Agaricus californicus**
Hebeloma crustuliniforme

Foray 36 - College Avenue, Berkeley, Alameda Co.
D. Eichorn
1 taxon, including 0* found only on this foray

Macrolepiota rachodes

Foray 38 - Berkeley Marina, Alameda Co.
3 taxa, including 3* found only on this foray

*Agaricus arvensis**
*Agaricus bitorquis**
*Agaricus campestris**

Foray 39 - Oakland, Alameda Co.
3 taxa, including 2* found only on this foray

*Agaricus bernardii**
Armillaria ostoyae
*Laetiporus sulphureus**

Foray 43 - Sausal Creek, Alameda Co.
3 taxa, including 0* found only on this foray

Hypholoma aurantiacum
Pholiota terrestris
Volvariella gloiocephala

Foray 45 - Berkeley, Alameda Co.
1 taxon, including 1* found only on this foray

*Psilocybe cyanescens**

Foray 48 - Oakland Hills, Alameda Co.
2 taxa, including 2* found only on this foray

*Leucopaxillus albissimus**
*Psilocybe cyanofibrillosa**

**Mycological
Society of San
Francisco**

Foray 20 - Wildcat Canyon, Contra Costa Co.
M. Rossman
7 taxa, including 0* found only on this foray

Amanita lanei
Cantharellus cibarius
Hypholoma fasciculare
Hypomyces chrysospermum
Mycena maculata
Pleurotus ostreatus
Trametes versicolor

Foray 27 - Richmond Field Station, Contra Costa Co.
Anna Moore
2 taxa, including 0* found only on this foray

Armillaria mellea
Pleurotus ostreatus

Contra Costa Co.

Foray 33 - Orinda, Contra Costa Co.
Tom Beales
4 taxa, including 0* found only on this foray

Amanita lanei
Boletus appendiculatus
Chroogomphus vinicolor
Lactarius deliciosus

Foray 40 - Pleasant Hill, Contra Costa Co.
1 taxon, including 1* found only on this foray

*Tremella foliacea**

Foray 47 - El Cerrito, Contra Costa Co.
1 taxon, including 0* found only on this foray

Stropharia riparia

El Dorado Co.

Foray 44 - Georgetown, El Dorado Co.
1 taxon, including 1* found only on this foray

*Psathyrella candolleana**

Humboldt Co.

Foray 19 - Eureka Headwaters, Humboldt Co.
J. Edmonds
1 taxa, including 0* found only on this foray

Ganoderma tsugae

Foray 30 - Eureka, Humboldt Co.
1 taxa, including 0* found only on this foray

Fistulina hepatica

**Mycological
Society of San
Francisco**

Foray 4 - Roys Redwoods, Marin Co.
 Robert Mackler
 16 taxa, including 2* found only on this foray

- Bolbitius vitellinus*
- Boletus satanas*
- Caulorhiza umbonata*
- Flammulina velutipes*
- Gomphidius oregonensis*
- Gymnopilus luteocarneus*
- Hebeloma crustuliniforme*
- Hypholoma fasciculare*
- Leucoagaricus rubrotinctus*
- Mycena iodoliens**
- Omphalotus olivascens*
- Pleurotus ostreatus*
- Psathyrella gracilis*
- Schizophyllum commune**
- Suillus caerulescens*
- Tubaria furfuracea*

Foray 12 - Tomales Bay Park, Marin Co.
 J. Baruzzi
 9 taxa, including 0* found only on this foray

- Amanita franchetii*
- Amanita gemmata*
- Amanita lanei*
- Amanita phalloides*
- Boletus appendiculatus*
- Boletus edulis*
- Boletus zelleri*
- Gymnopilus luteocarneus*
- Leccinum manzanitae*

Foray 17 - Marin Co.
 J. Edmonds
 3 taxa, including 0* found only on this foray

- Boletus edulis*
- Fomitopsis pinicola*
- Pisolithus tinctorius*

Foray 18 - Marin Co.
 J. Edmonds
 3 taxa, including 0* found only on this foray

- Fomitopsis cajanderi*
- Phaeolus schweinitzii*
- Trametes versicolor*

Marin Co.

Foray 28 - Various, Marin Co.
 Ron Pastorino
 37 taxa, including 8* found only on this foray

- Agaricus paeclarisquamosus*
- Amanita franchetii*
- Amanita gemmata*
- Amanita lanei*
- Amanita pachycolea*
- Amanita phalloides*
- Armillaria mellea*
- Boletus aereus*
- Boletus amygdalinus*
- Boletus appendiculatus*
- Boletus edulis*
- Caulorhiza umbonata*
- Entoloma blixami*
- Fomitopsis pinicola*
- Ganoderma applanatum*
- Gomphidius smithii**
- Gymnopilus dryophilus*
- Hygrocybe singeri**
- Hypholoma fasciculare*
- Leccinum manzanitae*
- Lepiota roseifolia*
- Leucopaxillus gentianaeus**
- Pluteus cervinus*
- Polyporus decurrens*
- Psathyrella hydrophila*
- Ramaria acrisiccescens**
- Ramaria araiospora**
- Ramaria formosa**
- Russula fragrantissima*
- Russula semirubra*
- Stereum hirsutum*
- Strobilurus trullisatus*
- Suillus caerulescens*
- Suillus ponderosus**
- Suillus pungens*
- Trametes ochracea**
- Trametes versicolor*

Foray 46 - Mt Tamalpais, Marin Co.
 1 taxon, including 1* found only on this foray

*Russula brevipes**

**Mycological
Society of San
Francisco**

Foray 23 - Jackson State Forest, Mendocino Co.

Debbie Viess

3 taxa, including 0* found only on this foray

Amanita silvicola

Boletus edulis

Fistulina hepatica

Mendocino Co.

Foray 8 - Nevada City area, Nevada Co.
Daniel Nicholson
21 taxa, including 9* found only on this foray

Agaricus praeclaresquamosus
Agaricus subrutilescens
*Astraeus pteridis**
*Clitocybe nebularis**
Cortinarius camphoratus
*Crepidotus crocophyllus**
Gomphidius oregonensis
Gymnoporus fuscopurpureus
Hypholoma fasciculare

*Inocybe fastigiata**
*Jahnoporus hirtus**
Lycoperdon umbrinum
Marasmius calhouniae
Mycena maculata
*Panellus serotinus**
*Paxillus panuoides**
Pleurotus ostreatus
Pluteus cervinus
*Polyporus elegans**
Trametes versicolor
*Xylaria hypoxylon**

Nevada Co

Foray 29 - San Francisco, San Francisco Co.
Tom Chester
9 taxa, including 0* found only on this foray

Amanita franchetii
Amanita muscaria var. *flavivolvata*
Clitopilus prunulus
Hypholoma fasciculare
Leccinum manzanitae
Rhodocollybia butyracea
Russula sanguinea
Suillus fuscotomentosus
Suillus pungens

Foray 34 - SF State University, San Francisco Co.
2 taxa, including 0* found only on this foray

Boletus edulis
Tricholoma imbricatum

Foray 37 - Golden Gate Park, San Francisco Co.
Peter Werner
2 taxa, including 0* found only on this foray

Hygrophoropsis aurantiaca
Hypholoma aurantiacum

Foray 42 - San Francisco, San Francisco Co.
1 taxon, including 1* found only on this foray

*Helvella lacunosa**

**Mycological
Society of San
Francisco**

Foray 1 - Crystal Springs Watershed, San Mateo Co.
 Bill Freedman
 59 taxa, including 17* found only on this foray

Agaricus subrutilescens
Agaricus xanthodermus
*Alboleptonia sericella**
*Amanita constricta**
Amanita lanei
Amanita vaginata
Armillaria mellea
Bolbitius aleuriatus
Boletus appendiculatus
Boletus edulis
Boletus satanas
Boletus subtomentosus
Calocybe carnea
*Calvatia utriformis**
*Chalciporus piperatoides**
Chroogomphus vinicolor
Clitocybe nuda
Cortinarius camphoratus
Cortinarius sodagnitus
Fomitopsis pinicola
*Galerina autumnalis**
Ganoderma applanatum
*Geastrum saccatum**
Gomphus floccosus
Gymnopilus luteocarneus
Gymnopilus spectabilis
Gymnopus dryophilus
*Gymnopus kauffmannii**
Gymnopus villosipes
Hebeloma crustuliniforme
*Hebeloma sacchariolens**
Hebeloma sinapizans group
Hypholoma fasciculare
*Hypsizygus marmoreus**
Leccinum manzanitae
*Lentinellus ursinus**
*Lepiota "carmineobasidia"***
*Lepiota castaneidisca**
*Lepiota sequoiarum group**
Lepiota spheniscispora
Leucoagaricus rubrotinctus
*Lycoperdon molle**
Lycoperdon perlatum
Lycoperdon umbrinum
Mycena californiensis
Omphalotus olivascens
Pisolithus tinctorius
Pleurotus ostreatus
*Pluteus salicinus**
Psathyrella gracilis
Rhodocollybia butyracea
*Russula basifurcata**
Stereum hirsutum
*Stereum striatum**
Stropharia ambigua
Suillus caerulescens
Suillus pungens
Tremella mesenterica
Tricholoma imbricatum

San Mateo Co

Foray 2 - San Mateo County Memorial Park, San Mateo Co.
 Fred Stevens
 33 taxa, including 8* found only on this foray

*Agaricus arorae**
Amanita gemmata
Amanita lanei
Boletus satanas
Calocybe carnea
Cantharellus cibarius
Caulorhiza umbonata
Coprinus comatus
*Coprinus micaceus**
*Cortinarius regalis**
Fomitopsis cajanderi
Gomphidius oregonensis
*Gomphidius subroseus**
Gymnopus fuscopurpureus
Gymnopus villosipes
Hypholoma fasciculare
Lepiota roseifolia
Leucoagaricus rubrotinctus
Lyophyllum decastes
Marasmius plicatulus
*Melanoleuca melaleuca**
Mycena californiensis
Mycena capillaripes
*Mycena pura**
Pholiota terrestris
Pleurotus ostreatus
Pluteus cervinus
*Psathyrella fuscofolia**
Russula fragrantissima
Strobilurus trullisatus
Suillus lakei
Tubaria furfuracea
*Xeromphalina cauticinalis**

**Mycological
Society of San
Francisco**

Foray 3 - Wunderlich Park, San Mateo Co.
J.R. Blair
26 taxa, including 7* found only on this foray

Boletus chrysenteron
Clitocybe nuda
Cortinarius stermmatus*
Daldinia grandis*
Gymnopilus sapineus*
Gymnopus dryophilus
Hypomyces chrysospermum
Inocybe albodisca
Inocybe sororia
Lepiota spheniscispora
Lycoperdon pyriforme*
Marasmius plicatulus
Marasmius quercophilus
Mycena californiensis
Mycena maculata
Mycena purpureofusca
Panaeolus semiovatus*
Pleurotus ostreatus
Pluteus cervinus

San Mateo Co (continued)

Russula integra
Russula Paxilloides
Strobilurus trullisatus
Stropharia ambigua
Suillus caerulescens
Tubaria confragosa*
Tyromyces fragilis*

Foray 10 - Huddart Park, San Mateo Co.
Wade Leschyn
cancelled

Foray 11 - Daly City, San Mateo Co.
Fred Stevens
7 taxa, including 1* found only on this foray

Agaricus crocodilinus
Agaricus cupreobrunneus*
Agaricus xanthodermus
Amanita muscaria
Hypholoma fasciculare
Suillus fuscotomentosus
Volvariella gloiocephala

Santa Cruz Co.

Foray 6 - Campus U.C., Santa Cruz, Santa Cruz Co.
Thomas and Tina Keller
34 taxa, including 6* found only on this foray

Agaricus subrutilescens
Amanita franchetii
Amanita lanei
Amanita muscaria
Amanita muscaria var. flavivolvata
Armillaria mellea
Boletus appendiculatus
Boletus citriniporus*
Boletus edulis
Boletus zelleri
Cortinarius caninus
Cortinarius collinitus*
Cortinarius sodagnitus
Entoloma bloxami
Fomitopsis pinicola
Gomphidius glutinosus
Gomphidius oregonensis
Gomphus floccosus
Hebeloma crustuliniforme
Hypholoma fasciculare
Hypomyces chrysospermum
Lactarius deliciosus
Leccinum manzanitae
Lentinus lepideus*
Mycena capillaripes
Paxillus involutus
Phaeolus schweinitzii
Pluteus cervinus

Russula alutacea*
Russula cyanoxantha*
Russula integra
Stereum hirsutum
Suillus caerulescens
Tricholoma fracticum*

Foray 13 - Aptos, Santa Cruz Co.
P. Carpenter
10 taxa, including 1* found only on this foray

Amanita muscaria
Astraeus hygrometricus
Boletus amygdalinus
Boletus edulis
Boletus piperatooides
Boletus satanas
Gymnopus dryophilus
Hebeloma crustuliniforme
Macrolepiota rachodes
Psathyrella longipes*

Foray 35 - Waterman Gap, Santa Cruz Co.
J. Brown
7 taxa, including 2* found only on this foray

Boletus aereus
Boletus appendiculatus
Cortinarius fulmineus*
Entoloma bloxami
Hypholoma fasciculare
Mycena leptocephala*
Stereum hirsutum

**Mycological
Society of San
Francisco**

Foray 5 - Salt Point State Park, Sonoma Co.
 Anna Moore
 84 taxa, including 33* found only on this foray

Agaricus praeclaresquamosus
Agaricus subrutilescens
*Aleuria aurantia**
Amanita franchetii
Amanita gemmata
Amanita lanei
Amanita muscaria
Amanita pachycolea
Amanita silvicola
Amanita vaginata
Armillaria mellea
Boletus aereus
Boletus chrysenteron
Boletus dryophilus
Boletus edulis
Boletus piperatoides
*Boletus truncatus**
Boletus zelleri
*Cantharellus formosus**
*Cantharellus subalbidus**
Chroogomphus vinicolor
Clitopilus prunulus
Coprinus comatus
*Cortinarius multiformis**
*Cortinarius ponderosus**
*Cortinarius vanduzerensis**
*Cortinarius vibratilis**
*Crepidotus mollis**
*Cryptoporus volvatus**
Entoloma bloxami
Entoloma rhodopolium
Fomitopsis pinicola
Gomphidius glutinosus
Gomphidius oregonensis
*Gomphus clavatus**
Gomphus floccosus
Gymnopilus luteocarneus
Hebeloma crustuliniforme
Hygrophoropsis aurantiaca
Hypholoma fasciculare

Sonoma Co.

Hypomyces chrysospermum
*Laccaria proxima**
Lactarius alnicola
Lactarius deliciosus
*Lenzites betulina**
Lepiota roseifolia
Leucoagaricus rubrotinctus
Lyophyllum decastes
Marasmius calhouniae
*Marasmius pallidocephalus**
Marasmius quercophilus
Mycena capillaris
*Mycena capillaris**
Mycena maculata
Mycena purpureofusca
Phaeolus schweinitzii
*Pholiota malicola**
Pleurotus ostreatus
Psathyrella hydrophila
*Psathyrella spadicea**
*Ramaria botrytis**
*Ramaria flavigelatinosa**
*Ramaria rubribrunnescens**
*Ramaria vinosimaculans**
*Rhizopogon rubescens**
*Russula brunneola**
*Russula graveolens**
Russula integra
*Russula olivacea**
Russula Paxilloides
Russula semirubra
Stereum hirsutum
*Suillus brevipes**
Suillus caerulescens
Suillus lakei
Suillus pungens
*Suillus tomentosus**
Tremella mesenterica
*Tricholoma magnivelare**
*Tricholoma pardinum**
*Tricholoma saponaceum**
*Tricholomopsis rutilans**
*Tylopilus pseudoscaber**
*Xeromphalina kauffmanii**

**Mycological
Society of San
Francisco**

Foray 31 - Nathan Wilson's farm
1 taxon, including 1* found only on this foray

*Laricifomes officinalis**

Unknown California locations
29 taxa, including 11* not found elsewhere

Agaricus crocodilinus
Amanita muscaria
*Battarrea phalloides**
Boletus amygdalinus
Boletus subtomentosus
Coprinus comatus
Cortinarius caninus
Entoloma rhodopolium
*Gastrum fornicatum**
Gymnoporus dryophilus
Hebeloma crustuliniforme
Hebeloma sinapizans group
*Hericium ramosum**
Inocybe sororia
*Ischnoderma resinosum**
Omphalotus olivascens
*Parmastomycetes transmutans**
Paxillus involutus
*Phellinus pini**
*Phellinus robustus**
Pisolithus tinctorius
Pleurotus ostreatus
*Pluteus magnus**
Polyporus decurrens
*Rhizopogon ochraceorubens**
Russula amoena
Russula sanguinea
*Sarcodon imbricatus**
Suillus pungens

Elsewhere

Foray 25 - Oregon
Debbie Viess
1 taxon, including 1* found only on this foray

*Tricholoma caligatum**

Foray 41 - Eugene, Oregon
1 taxon, including 0* found only on this foray

Clitocybe nuda

**Mycological
Society of San
Francisco**

<i>foray</i> 4 <i>table</i>
<i>genus and species</i>
<i>habitat (circle one)</i>
<i>in woods grasslands</i> <i>under redwood douglas fir pine</i> <i>live oak tanbark oak manzanita</i> <i>on soil wood leaves</i>
<i>other</i> <i>collector</i> <i>identifier</i>
<hr/> <i>Mycological Society of San Francisco</i> <hr/>

Laccaria amethysteo-occidentalis

Common name: none
 Misapplied name: **Laccaria amethystina**

Scattered to gregarious on ground in forests,
 mostly with pine.

Tricholomataceae

14.12

First number is the table number, second number is the position of this species in the alphabetic order on this table

foray	table		
genus and species			
habitat (circle one)			
in woods	grasslands		
under redwood	douglas fir	pine	
live oak	tanbark oak	manzanita	
on soil	wood	leaves	
other			
collector			
identifier			
Mycological Society of San Francisco			

foray	table		
genus and species			
habitat (circle one)			
in woods	grasslands		
under redwood	douglas fir	pine	
live oak	tanbark oak	manzanita	
on soil	wood	leaves	
other			
collector			
identifier			
Mycological Society of San Francisco			

foray	table		
genus and species			
habitat (circle one)			
in woods	grasslands		
under redwood	douglas fir	pine	
live oak	tanbark oak	manzanita	
on soil	wood	leaves	
other			
collector			
identifier			
Mycological Society of San Francisco			